



**Coated Seamless Hand Protection**  
**"The Right Fit, The Right Feel, The Right Function"**  
**Proper Selection and Cross-Over Guide**

October 14, 2008

Coating category	PIP Style #	Glove type	Strengths	Weaknesses	Suggested applications	Ansell	Best	MCR	Magid	North	
<b>Solid Nitrile Coated</b>	34-225	fingertip gray dip / white nylon	Great dry grip; Excellent tactility and comfort; Good abrasion resistance	Poor wet grip; Low cut resistance; Low heat resistance	Handling dry small parts/assembly; Warehousing; Corrugated material handling; General light duty	11-900	4500	9683	GP160	NF13	
	34-C229	fingertip blue dip / white nylon						9684			
<b>ActivGrip Microfinish Nitrile Coated</b>	34-AG581	fingertip dark gray dip / gray nylon w/ "ActivGrip"	Great dry grip; Great oily grip; Very good abrasion, Comfort & fit; Liquid will not penetrate this coating; Silicone free	Low cut resistance; Low heat resistance	Handling oily metal parts/assembly; Replace low end leather gloves; Light duty work glove with liquid protection						
<b>Foam Nitrile Coated</b>	34-800	fingertip gray dip / white nylon	Good dry grip; Very good oily grip; Better abrasion than PU; Resists petroleum products; Good launderability, Great alternative to leather; 34-824 has SinAqua treatment	Liquid eventually channels through coating; Low cut resistance; Low heat resistance	Handling wet or dry small parts/assembly; Auto assembly; Replace low end leather palms & drivers; Warehousing; General light/medium duty tasks	11-800	4550	9694	GP560	NFF13	
	34-824	fingertip light blue dip / blue nylon*									
	34-901	3/4 dip dark gray dip / gray nylon									
	34-902	full dip dark gray dip / gray nylon									
	34-C232	fingertip black dip / gray nylon									
	34-C234	fingertip gray dip / white nylon									
	34-236	3/4 dip dark gray dip / tan nylon									
	34-803	full coated gray driver's style									
34-813	full coated brown driver's style										
<b>Micro Foam Nitrile Coated</b>	34-874	fingertip black dip / gray nylon	Breathable foam; Good dry grip; Superior oily grip; Silicon free; Excellent launderability; Superior dexterity fit and feel; Activfresh and SinAqua treatments	Liquid eventually channels through coating; Low cut resistance; Low heat resistance	Handling wet or dry small parts/assembly; Auto assembly; Replace low end leather palms & drivers	11-801	4575				
	34-875	3/4 black dip / gray nylon									
	34-876	fully coated black dip / gray nylon									
	34-844	fingertip black dip with dots / gray nylon									
	34-845	3/4 black dip with dots / gray nylon									
	34-846	fully coated black dip with dots / gray nylon									
	34-9025	3/4 blue dip / gray cotton/nylon/lycra									
	34-8745	fully coated-extended cuff black with dots / gray nylon									
<b>Urethane Coated</b>	33-125	fingertip white dip / white nylon	Superior lightweight fit & feel; Excellent dexterity; Good dry grip	Very low cut resistance; Poor oily grip; Petroleum will cause delamination; Liquid immediately penetrates the coating	Handling wet or dry small parts/assembly; Auto assembly; Super light duty; Barrier to dirt and light oil	11-600		9695	PU50 JPS1 (econ)	NF15	
	33-G125	fingertip gray dip / gray nylon							9696	GP150 JDW150 (econ)	
	33-B125	fingertip black dip / black nylon							9669	BP169	
	33-325	fingertip black dip / black nylon								BP170	
<b>Air Infused PVC</b>	32-747	fingertip black dip / black nylon	Excellent dry and wet grip; Good resistance to petroleum products; Good abrasion resistance; Generally lower cost than nitrile	Liquid eventually channels through coating; Low cut resistance; No heat resistance; "Stiff" feel compared to nitrile; Launderability is not as good as nitrile	Handling wet or dry small parts/assembly; Auto assembly; Replace low end leather palms & drivers			9699	PG180		



**Coated Seamless Hand Protection**  
**"The Right Fit, The Right Feel, The Right Function"**  
**Proper Selection and Cross-Over Guide**

October 14, 2008

<b>Latex Coated</b>	39-C120	blue flat "splash" dip / white cotton	Very good abrasion, cut, tear & puncture; Flexible coating; Good dexterity; Low cost	Coating gets gummy when in contact with petroleum products; Low heat resistance; Warm to wear in hot weather	Medium duty; Good with brick, lumber, steel; Excellent replacement for all leather styles; Warehouse; Construction; Material handling								
	39-C121	red flat "splash" dip / white cotton											
	39-C122	blue flat "splash" dip / white cotton							48-302		9682		
	39-C1310	fingertip blue crinkle dip / gray poly-cotton								3811	9688	9529	NF14
	39-C1305	fingertip blue crinkle dip / gray poly-cotton								3841			
	39-C1300	fingertip blue crinkle dip / gray poly-cotton							80-100		9680		
<b>ActivGrip Microfinish Latex Coated</b>			Very good abrasion, cut, tear & puncture; Flexible coating; Good dexterity; Low cost	Coating gets gummy when in contact with petroleum products; Low heat resistance	Medium duty; Good with brick, lumber, steel; Excellent replacement for all leather styles; Warehouse; Construction; Material handling, Road Work Crews								
	39-C1500	fingertip brown "ActivGrip" dip / brown poly-cotton											
	39-C1600	fingertip blue "ActivGrip" dip / gray poly-cotton											
	55-AG315	fingertip dark gray "ActivGrip" dip / bright pink poly											
	55-AG316	fingertip dark gray "ActivGrip" dip / bright blue poly											
	55-AG317	fingertip dark gray "ActivGrip" dip / Hi-Vis Yellow poly											

<b>Solid Nitrile Coated</b>	 <div style="display: flex; justify-content: space-around;"> <span>34-225</span> <span>34-229</span> <span>55-AG315</span> <span>55-AG316</span> <span>55-AG317</span> </div>	<b>ActivGrip Microfinish Nitrile Coated</b>  <div style="display: flex; justify-content: center;"> <span>34-AG581</span> </div>								
<b>Foam Nitrile Coated</b>	 <div style="display: flex; justify-content: space-around;"> <span>34-800</span> <span>34-824</span> <span>34-901</span> <span>34-902</span> </div>	 <div style="display: flex; justify-content: space-around;"> <span>34-C232</span> <span>34-C234</span> </div>	 <div style="display: flex; justify-content: space-around;"> <span>34-236</span> <span>34-803</span> <span>34-813</span> </div>							
<b>Micro Foam Nitrile Coated</b>	 <div style="display: flex; justify-content: space-around;"> <span>34-874</span> <span>34-875</span> <span>34-876</span> <span>34-844</span> </div>	 <div style="display: flex; justify-content: space-around;"> <span>34-845</span> <span>34-846</span> <span>34-9025</span> <span>34-8745</span> </div>								
<b>Urethane Coated</b>	 <div style="display: flex; justify-content: space-around;"> <span>33-125</span> <span>33-B125</span> <span>33-G125</span> <span>33-325</span> </div>	<b>Air Infused PVC</b>  <div style="display: flex; justify-content: center;"> <span>32-747</span> </div>								
<b>Latex Coated</b>	 <div style="display: flex; justify-content: center;"> <span>39-C120 / 39-C122</span> </div>	 <div style="display: flex; justify-content: center;"> <span>39-C121</span> </div>	 <div style="display: flex; justify-content: center;"> <span>39-C1305 / 39-C1310</span> </div>	 <div style="display: flex; justify-content: center;"> <span>39-C1300</span> </div>	 <div style="display: flex; justify-content: center;"> <span>39-C1500</span> </div>	 <div style="display: flex; justify-content: center;"> <span>39-C1600</span> </div>				